

IN THE CLAIMS

Applicants hereby presents the claims, their status in the application, and
amendments thereto as indicated:

1. (Canceled)
2. (Canceled)
3. (Canceled)
4. (Canceled)
5. (Canceled)
6. (Canceled)
7. (Canceled)
8. (Canceled)
9. (Canceled)
10. (Canceled)
11. (Canceled)
12. (Canceled)
13. (Canceled)
14. (Canceled)
15. (Canceled)

16. (Canceled)

17. (Canceled)

18. (Previously Presented) A method of wrapping a sandwich comprising the steps of:

A) placing the sandwich on a flexible sheet having a heat sealable substance coated on at least a portion of a side thereof;

B) folding the sheet around the sandwich such that at least a portion of the heat-sealable substance contacts another part of the folded sheet; and

C) heating that portion of the heat sealable substance to form a heat seal with the part of the sheet that it contacts.

19. (Previously Presented)) The method according to claim 18 wherein step C comprises applying heat from outside of the wrapped sandwich.

20. (Previously Presented)) The method according to claim 19 wherein step C comprises placing the wrapped sandwich on a hot plate.

21. (Previously Presented)) The method according to claim 18 wherein step C comprises applying heat from within the wrapped sandwich by wrapping a hot sandwich.

22. (Previously Presented)) The method according to claim 18 wherein step C comprises causing less than all of the heat sealable substance to be heated sufficiently to produce a heat seal.

23. (Previously Presented)) The method according to claim 18 wherein step A further comprises placing the sandwich on a sheet having the heat sealable substance coated along at least one edge thereof.

24. (Previously Presented)) The method according to claim 18 wherein steps A and B are performed manually.

25. (New) A method of wrapping a sandwich comprising the steps of:

A) placing the sandwich on a flexible sheet including a heat sealable coating on a first portion thereof;

B) wrapping the sheet around the sandwich such that the heat sealable coating at least partially contacts a second portion of the flexible sheet; and

C) heating at least part of the heat sealable coating to at least partially adhere the first portion of the flexible sheet to the second portion of the flexible sheet.

26. (New) The method according to claim 25 wherein step C comprises applying external heat to the heat sealable coating.

27. (New) The method according to claim 26 wherein step C comprises placing the wrapped sandwich on a hot plate.

28. (New) The method according to claim 25 wherein step C comprises applying heat to the heat sealable coating by wrapping a hot sandwich.